





APPLICATION DATE

3/29/2018

Sustainable Nutritional Solutions IRRIGATED CORN TRIALS

FARMREIGN PRECISION PLANTER PLANTING DATE: 5/9/2018

FIELD: B SE 1/4 HARVEST DATE: 10/28/2018

VARIETY: LG 5548 STX RIB POPULATION: 34K

PREVIOUS CROP: Corn

APPLIED WATER:

<u>DMI STRIP-TILL:</u> (Analysis) 4 - 8 - 1 - 4.6s

applied at 10 gal./A @ 4" and 13 gal./A @ 10"

2x2 STARTER FERTILIZER: (Analysis) 16 - 9 - 3 - 2.6s - .1zn applied at 18 gal./A. 5/9/2018

THROUGH REINKE SPRINKLER: 28 - 0 - 0 - 5 @ 5 gal./A

28 - 0 - 0 - 5 @ 5 gal./A 5/27/2018 28 - 0 - 0 - 5 @ 10 gal./A 6/13/2018

28 - 0 - 0 - 5 @ 5 gal./A 7/2/2018

28 - 0 - 0 - 5 @ 7.5 gal./A 7/6/2018 28 - 0 - 0 - 5 @ 2.5 gal./A 7/9/2018

28 - 0 - 0 - 5 @ 6 gal./A 7/17/2018 28 - 0 - 0 - 5 @ 6 gal./A 7/20/2018

28 - 0 - 0 - 5 @ 6 gal./A 7/24/2018
13.50 inches RAINFALL: 12.32 inches

RAINFALL by MONTH: May - 2.33", June - 5.91", July - .63", August - 1.89", September - .47", October - 1.4"

GROUND SPRAY APPLICATIONS: ACURON @ 1.5 qt./A + ROUNDUP POWERMAX @ 32 oz./A +

AMS @ 1 qt./100 gal. + NIS @ 1 qt./100 gal. 5/16/2018

HALEX GT @ 2.6 pt./A + ROUNDUP POWERMAX @ 32 oz./A +

AMS @ 1 qt./100 gal. + NIS @ 1 qt./100 gal. 6/12/2018

SPECIAL SEASONAL NOTES: HAIL EVENT: June 6th - baseball sized hail with 3.19" of rainfall and 60 mph

wind gusts resulting in significant crop injury, and loss of plant stand.

Weather, daytime temperatures and other factors affect data results, as in any year. The Irrigation Research Foundation strives to record and control these factors where possible. Not all of these factors are measurable or recognized.

For weather information please go to www.coggmet.com, monthly summaries, select the month, year and the Yuma station

PROTOCOL	MOISTURE	BUSHELS PER ACRE
NUTRIPLANT SL @ 8 fl. oz./A. with WATER @ 4 gal./A. applied IN-FURROW + STANDARD IRF 2 x 2 STARTER FERTILIZER at planting	17.1	243.4
NUTRIPLANT SL @ 8 fl. oz./A. with WATER @ 4 gal./A. applied IN-FURROW + STANDARD IRF 2 x 2 STARTER FERTILIZER at planting + FOLIAR APPLICATION: NUTRIPLANT AG @ 16 fl. oz./A. APPLIED 6/19/2018	17.8	252.9
CONTROL STANDARD IRF 2 x 2 STARTER FERTILIZER at planting	16.3	239.4